

1838 JH O'Bryan Ave Grand Rivers, Kentucky 42045 (270) 362-0152

info@thebadgettplayhouse.com

	1		info@thebadgettplayhouse.com
Stage Dimensions			
Upstage to Downstage	17 Ft.		
Right Stage to Left Stage	32 ft.		
Apron	48 ft wide		6 ft deep
Forestage (Apron Extension) Steps each side	11 ft wide		4 ft deep
Wing – Stage Right	12 ft wide		20 ft deep
Wing – Stage Left	9 ft wide		16 ft deep
Backstage			
Two Dressing Rooms (dimensions for each)	10 ft wide		9 ft deep
Note:	Additional private bathroom with shower and costume storage is connected to each dressing room and is not included in dressing room dimensions.		
Common Area/Green Room	16 ft wide	10 ft deep	Direct access to Upper Center Stage
Stage Elevation	43" from floor		
Forestage Elevation	8" below Main Apron		
Curtains		'	
Stationary	Upstage (Back Wall)		Black
Stationary/Masking	Side / Border (4)		Black – 8ft wide each
Retractable	Scrim		30' wide
Retractable	Main Valance		40' wide



1838 JH O'Bryan Ave Grand Rivers, Kentucky 42045 (270) 362-0152

info@thebadgettplayhouse.com

NONE	Flat
Marley	
Allen & Heath QU-32	
	Marley

• Type: Digital

• Channels:32 Mono, 3 Stereo

• Inputs - Mic Preamps: 32 x XLR

• Phantom Power:32

• Inputs - Line:32 x 1/4"

• Inputs - Other: 4 x 1/4" (2 stereo in), 1 x 1/8" TRS (stereo in)

• Outputs - Main: 2 x XLR (left, right), 2 x 1/4" (2 track out), 2 x 1/4" (alt out)

• Outputs - Other: 4 x XLR (mono mix outs), 3 x XLR pairs (stereo mix outs), 4 x XLR pairs (stereo group outs), 2 x XLR pairs (stereo matrix outs)

• Outputs - Digital: 1 x Ethernet dSnake, 1 x XLR AES, 1 x USB Type A

Busses/Groups:16-bus

• Talkback: 1 x XLR

Data I/O:1 x Ethernet TCP/IP

Headphones: 1 x 1/4" TRS

• **USB:**1 x Type B, 1 x Type A

• Computer Connectivity: USB (32 x 30), Ethernet

• Faders:32 x 100mm channels, 1 x 100mm master

• EQ Bands: Parametric EQ, 28-band graphic EQ

• **Effects:**Reverb, delay, chorus, phaser, flanger (4 x stereo FX returns)

• DAW Control: MIDI DAW control driver for Mac (HUI, Mackie Control)



1838 JH O'Bryan Ave Grand Rivers, Kentucky 42045 (270) 362-0152 info@thebadgettplayhouse.com

Lighting	Controls	Keypad	
Leviton	• 2 pairs of manual cross-	• Cue numbering from .1 to	
MC 24/48	faders	999.9 Mc 24/48 Lighting	
	Master fader	control consoles	
	Go button	Split up/down fade times	
	Blackout button	• Link to cue or macro	
	Hold/back buttons	Selective cue recording	
	• Rate buttons	Modified rate recording	
	Bump buttons	Multi-part cues	
	• 7 encoder wheels for	Proportional range editing	
	intelligent device	of levels	
	personality traits	Programmable	
	• Trackball for pan and tilt	up/dwell/down times	
	Ports	Submasters & Effects	
	• DMX512 in (5 pin XLR,	Independent submasters	
	male) • DMX512 out- 3	with bump buttons	
	independent patchable	Overlapping inhibitive or	
	ports (5 pin XLR, female)	pile-on functions	
	• DMX512 out- switch	• Up to 600 level sensitive	
	selectable 3 pin XLR to port	effects	
	A, B or C	Programmable step times	
	• MIDI in/out/through (5 pin	• Effects may be loaded to	
	DIN)	cue or submaster	
	• Remote go macro (9 pin D-	Range editing of step	
	Sub/DB9 female)	values and attributes	
	• Parallel printer port (25 pin		
	D-Sub/ DB25 female)		
	VGA monitor outputs (high		
	density 15 pin D-Sub/DB15		
	female)		
	Hand held remote port (6		
	pin XLR female) • Keyboard		
	input (5 pin DIN)		



1838 JH O'Bryan Ave Grand Rivers, Kentucky 42045 (270) 362-0152 info@thebadgettplayhouse.com

Loading/Unloading		
Stage Right & Stage Left	Ramp	
	Width	54"
	Length	96"
	Height	24"
	Building Entrance	68"
	Ramp Grade	25%
Stage from Floor	42"	Scissor lift or stage hands are available if needed to place equipment on stage.

STAGE SCHEMATIC

